

## Declaration of Compliance RoHS & RoHS 2

## No Exemptions

Dear Valued Customer,

10/15/2020

Semtech Corporation hereby declares products listed below to be compliant with the requirements for restricted substances listed in European Parliament's **RoHS Directive 2011/65/EU** issued June 8, 2011, commonly referred to as "RoHS2". The following table lists the restricted materials and their respective allowable limits:

For Semtech PN's: SX1503I091TRT

| RoHS Restricted Substance             | Allowable Limit         |
|---------------------------------------|-------------------------|
| Cadmium and its compounds*            | 100 ppm (0.01 weight %) |
| Mercury and its compounds             | 1000 ppm (0.1 weight %) |
| Hexavalent chromium and its compounds | 1000 ppm (0.1 weight %) |
| Lead and its compounds                | 1000 ppm (0.1 weight %) |
| Polybrominated biphenyls (PBB)        | 1000 ppm (0.1 weight %) |
| Polybrominated diphenyl ethers (PBDE) | 1000 ppm (0.1 weight %) |

We further declare that products do not contain the "RoHS2" chemical substances listed below pursuant to EU directive 2015/863 amendment to Annex II of EU RoHS 2 (2011/65/EU): Phthalates also knows as phthalic esters.

| RoHS2 Restricted Substance          | Allowable Limit |
|-------------------------------------|-----------------|
| Diisobutyl phthalate (DIBP)         | <1000 ppm       |
| Bis (2-ethylhexyl) phthalate (DEHP) | <1000 ppm       |
| Butyl benzyl phthalate (BBP)        | <1000 ppm       |
| Dibutyl phthalate (DBP)             | <1000 ppm       |

As part of Semtech Corporation's environmental compliance program, the following substance which is used as a flame retardant is not intentionally added to our product or processes of manufacture.

| Restricted Substance           | Allowable Limit |
|--------------------------------|-----------------|
| Hexabromocyclododecane (HBCDD) | <1000 ppm       |



For Semtech products that exceed the allowable limits per homogeneous material level, we have identified the exception(s) below;

| No exemption taken.   |
|---|
| ☐ 1. Mercury in compact fluorescent lamps not exceeding 5 mg per lamp.  |
| ☐ 2a. Mercury in straight fluorescent lamps for general purposes not exceeding 10 mg in halophosphate lamps   |
| ☐ 2b. Mercury in straight fluorescent lamps for general purposes not exceeding 5 mg in triphosphate lamps with a normal life.   |
| ☐ 2c. Mercury in straight fluorescent lamps for general purposes not exceeding 8 mg in triphosphate lamps with long lifetime.   |
| ☐ 3. Mercury in straight fluorescent lamps for special purposes.  |
| 4. Mercury in other lamps not specifically mentioned in this list.  |
| ☐ 5. Lead in glass of cathode ray tubes, electronic components and fluorescent tubes.   |
| ☐ 6a. Lead as an alloying element in steel containing up to 0.35% lead by weight.   |
| ☐ 6b. Lead as an alloying element in aluminum containing up to 0.4% lead by weight.   |
| ☐ 6c. Lead as an alloying element in copper containing up to 4% lead by weight.   |
| ☐ 7a. Lead in high melting temperature type solders (i.e. lead-based alloys containing 85% by weight or more lead).   |
| ☐ 7b. Lead in solders for servers, storage and storage array systems, network infrastructure equipment for switching, signaling, transmission as well as network management for telecommunications.   |
| ☐ 7c. Lead in electronic ceramic parts (e.g. piezoelectronic devices).  |
| ■ 8. Cadmium and its compounds in electrical contacts and cadmium plating except for applications banned<br>under Directive 91/338/EEC amending Directive 76/769/EEC relating to restrictions on the marketing and<br>use of certain dangerous substances and preparations. |
| ☐ 9. Hexavalent chromium as an anti-corrosion of the carbon steel cooling system in absorption refrigerators.   |
| ☐ 10a. Deca BDE in polymeric applications.  |
| ☐ 10b. Lead in lead-bronze bearing shells.  |
| ☐ 11. Lead used in compliant pin connector systems.   |
| ☐ 12. Lead as a coating material for a thermal conduction module c-ring.  |
| ☐ 13a. Lead in optical and filter glass.  |
| ☐ 13b. Cadmium in optical and filter glass.   |



| ☐ 14. | Lead in solders consisting of more than two elements for the connection between the pins and the package of microprocessors with a lead content of more than 80% and less than 85% by weight. |  |
|-------|---|--|
| ☐ 15. | Lead in solders to complete a viable electrical connection between semiconductor die and carrier within ntegrated circuit Flip Chip packages.   |  |

## **CE Marking**

RoHS 2 Directive also requires CE marking on products which are defined within a listing of 20 product group categories. This listing can be reviewed at, <a href="http://www.ce-marking.org/what-product.html">http://www.ce-marking.org/what-product.html</a>. The Semtech product you are interested in and identified within this declaration, do not fall within those categories and therefore, do not require CE marking.

## **RoHS Compliance Table: Product Information**

Semtech Corporation invites the customer to visit our website, <a href="http://www.semtech.com/">http://www.semtech.com/</a> and review our RoHS compliance information with signed Hazardous Substance Declaration of Non-Use.

Semtech Corporation is pleased for the opportunity to address your needs and look forward to a continued and successful business relationship. Please refer to your Semtech sales representative for product orders, sales and quotes.

If you have any questions, do not hesitate to give me a call.

Sincerely,

Debbie Mollner

**Quality Assurance Document Control Specialist** 

Semtech Corporation

200 Flynn Rd Camarillo, CA 93012

dmollner@semtech.com

conflictfree@semtech.com

RiskManagement@semtech.com

RoHSCompliance@semtech.com

Office: (805) 498-2111 Fax: (805) 498-3804

